



ANALYTICAL SOLUTIONS
WORLDWIDE

SHIVA ANALYTICALS (INDIA) PRIVATE LIMITED

Plot No. 24D(P) & 34D, KIADB Industrial Area,
Hoskote, Bangalore - 562 114. Karnataka, India

Tel : +91-80 2801 5333 / 2797 1322/1626/1431
Fax : + 91-80-2797 1321
Email : info@shivaanalyticals.com
Website : www.shivaanalyticals.com
CIN : U24230TG1994PTC018752

TEST CERTIFICATE SAIL No.00416025969

Issued To : A.R Dairy Food Private Limited
10/5C, Madurai Road, Begampur Post,
Dindigul - 624002

Ref No.: Letter

Date: 10 Feb 2016

CA No.: 00416025969

Date of Receipt: 16 Feb 2016

Date of Booking: 16 Feb 2016

Date of Starting: 16 Feb 2016

Date of Completion: 23 Feb 2016

Date of Report: 23 Feb 2016

Matrix : Skimmed Milk Powder
Customer ID :- Batch No : 1821, Sample No : 158, DOP : 19.01.2016

Page 1 of 1

Sl.No.	Tests	Unit	Results	Requirement as per IS : 13334 (Pt-1) 2014	Test Methods
1	Microbiology.				
1.1	Staphylococcus aureus	cfu/g	<10	10 Max	IS 5887(part-2)-1976 (Reaffirmed 2005)
1.2	Saimonelia	/25y	Absent	Absent	IS:5887(Pt 3):1999
1.3	Aerobic spore count(Bacillus cereus)	cfu/g	<10	1000 Max	IS 5887(Pt-6)2012
1.4	Anaerobic spore count (Clostridium perfringens)	cfu/g	<10	100 Max	IS:5887 (Pt-4) 1999
1.5	Listeria monocytogenes	/ g	Absent	Absent	IS:14988(Pt-1)2001

End of Report

Authorized Signatory

Mr.Prakash S
Lab Incharge
Microbiology

- Note:
- The results listed above pertain only to the tested samples and applicable parameters.
 - Samples which are degradable will be disposed immediately after testing and others will be disposed after one month from the date of issue of test certificate unless otherwise specified.
 - Total liability of our laboratory is limited to the invoice amount.
 - This report is not to be reproduced either wholly or in part and cannot be used as an evidence in the Court of Law and should not be used in any advertising media without prior written permission.
 - In case any reconfirmation of contents of this test certificate is required, please contact our office.
 - Sampling is not done by us unless otherwise specified.
 - Any discrepancy in the Test Certificate should be notified within 30 days.

Accreditations : ISO/IEC 17025:2005(NABL)

Certifications : ISO 9001:2008, OHSMS:18001:2007, BIS, AYUSH

Approvals : FSSAI, Office of the Drug Controller for the State of Karnataka

SAIL/FRM-01R