



NAWaL Analytical Laboratories

Test Report

No 14965



TC-5834

Accredited & Recognized by : ISO/IEC 17025:2005, BIS, FSSAI, APEDA, AGMARK, MoEF

REPORT NO. TC583418000005838F

REPORT DATE: 24.11.2018

Sample ID No : NAL20181100005838
Sample Described by the Customer : SKIMMED MILK POWDER
Batch No & Date : 2085 & 12.11.2018
Name of the Customer / Brand Name : M/s. A.R.DAIRY FOOD PRIVATE LIMITED / RAAJ
Address : 10/5C, Madurai Road, Begampur (Po), Dindigul,
Tamilnadu, India-624 002.
Sample by : Not drawn by Nawal Lab
Requested By / Designation : Mr.G.Kannan / Manager QC
Quantity of the Sample Received : 2 x 500g
Customer Reference : By letter Dated. 17.11.2018
Date of Sample Receipt : 17.11.2018
Date of Performance : 17.11.2018 to 22.11.2018

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS	Req as per IS 13334 (Part-1):2014 (Amendment 1)
1	Coagulase Positive <i>Staphylococcus aureus</i>	IS 5887(P-02).1976	Cfu/g	<10	Max 10
2	Salmonella	IS 5887(P-03).1999	Present(or)Absent/25g	Absent	Absent
3	<i>Listeria Monocytogenes</i>	IS 14988 (P-01).2001	Present(or)Absent/g	Absent	Absent

SPORE COUNT

4	i) Aerobic (Bacillus Cereus)	IS 5887(P-06).2012	Cfu/g	<10	Max 100
	ii) Anaerobic (Sulfite reducing Clostridia)	ISO 15213:2003	Cfu/g	<10	Max 10

Note. All the above Test Parameters are carried out with the sample as received condition.



For NAWaL Analytical Laboratories

Authorised Signatory.

Dr. P.S. DHEENAN
(Dy. Technical Manager

*** End of the Report ***Biology & Molecular Biology)