



NAWaL Analytical Laboratories

Test Report

067003

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015


ULR NO: TC583420000011130F

Date: 09/06/2020

Sample ID No. : NAL/202006000011130
Discipline / Group : Biological / Food & Agricultural products
Name of the Customer : A.R. DAIRY FOOD PRIVATE LIMITED
Address : 10/5C, Madurai Road, Begampur Post,
Dindigul - 624 002, Tamilnadu
Sample Described by the Customer : RAAJ SPRAY DRIED SKIMMED MILK POWDER
Requested By : Mr. G.Kannan - Manager - QC
Quantity Of the Sample Received : 250g x 2
Brand Name : "RAAJ"
Batch Number : 2148
Mfg Date : 02.04.2020
Information about Sampling : Submitted by Customer
Customer Reference : By Letter Dated.30/05/2020
Date of Sample Receipt : 01/06/2020
Date of test Starting : 01/06/2020
Date of test Completed : 08/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS	Requirement as per IS 13334 (Part-2):2014 (Amendment 1)
BIOLOGICAL PARAMETER					
1	Staphylococcus aureus (Coagulase positive)	IS 5887(P-02).1976	Cfu/g	<10	Max 10
2	Salmonella	IS 5887(P-03).1999	P/A/25g	Absent	Absent
3	Shigella	IS 5887(-7).1999	P/A/25g	Absent	-
4	Listeria Monocytogenes	IS 14988 (P-01).2001	P/A/g	Absent	Absent
SPORE COUNT					
5	i) Aerobic (Bacillus Cereus)	IS 5887(P-06).2012	Cfu/g	<10	Max 100
6	ii) Anaerobic (Sulfite reducing Clostridia)	ISO 15213:2003	Cfu/g	<10	Max 10

Authorized Signatory



Page 1 of 2

Regd. Office & Lab: Plot No.: 100 & 109 New SIDCO Industrial Estate, Sri Nagar, Hosur - 635109, Tamil Nadu.
Phone: 04344 - 245841, 9894785841 E-mail: ecogreen.labs@gmail.com, green_balu74@yahoo.com

Marketing Office: No:10, 1st Floor, The commodity Exchange Building, Plot No: 2, 3 & 4, Sector-19A, Vashi, Navi Mumbai - 400 705, Maharashtra

TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories

Test Report

067002

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC583420000011130F					Date: 09/06/2020
S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS	Requirement as per IS 13334 (Part-2):2014 (Amendment 1)

Disclaimer:

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample .


Note : All the above Test Parameters are carried out with the sample as received condition". The tests marked with an * are not accredited by NABL.

For NAWaL Analytical Laboratories

Authorized Signatory

V.Rohini

Microbiologist



End of Report



TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories

Test Report

067001

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000011129F

Date: 09/06/2020

Sample ID No. : NAL/202006000011129
Discipline / Group : Biological / Food & Agricultural products
Name of the Customer : A.R. DAIRY FOOD PRIVATE LIMITED
Address : 10/5C, Madurai Road, Begampur Post,
Dindigul - 624 002, Tamilnadu
Sample Described by the Customer : RAAJ SPRAY DRIED SKIMMED MILK POWDER
Requested By : Mr. G.Kannan - Manager - QC
Quantity Of the Sample Received : 250g x 2
Brand Name : "RAAJ"
Batch Coding : 2143
Mfg Date : 13.03.2020
Information about Sampling : Submitted by Customer
Customer Reference : By Letter Dated.30/05/2020
Date of Sample Receipt : 01/06/2020
Date of test Starting : 01/06/2020
Date of test Completed : 08/06/2020

S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS	Requirement as per IS 13334 (Part-2).2014 (Amendment 1)
BIOLOGICAL PARAMETER					
1	Staphylococcus aureus (Coagulase positive)	IS 5887(P-02).1976	Cfu/g	<10	Max 10
2	Salmonella	IS 5887(P-03).1999	P/A/25g	Absent	Absent
3	Shigella	IS 5887(-7).1999	P/A/25g	Absent	-
4	Listeria Monocytogenes	IS 14988 (P-01).2001	P/A/g	Absent	Absent
SPORE COUNT					
5	i) Aerobic (Bacillus Cereus)	IS 5887(P-06).2012	Cfu/g	<10	Max 100
6	ii) Anaerobic (Sulfite reducing Clostridia)	ISO 15213:2003	Cfu/g	<10	Max 10

Authorized Signatory



Page 1 of 2

Regd. Office & Lab: Plot No.: 100 & 109 New SIDCO Industrial Estate, Sri Nagar, Hosur - 635109, Tamil Nadu
Phone: 04344 - 245841, 9894785841 E-mail: ecogreen.labs@gmail.com, green_balu74@yahoo.com

Marketing Office: No:10, 1st Floor, The commodity Exchange Building, Plot No: 2, 3 & 4, Sector-19A, Vashi, Navi Mumbai - 400 705, Maharashtra

TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories

Test Report

067077

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC58342000011129F					Date: 09/06/2020
S.No	TEST PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS	Requirement as per IS 13334 (Part-2):2014 (Amendment 1)

Disclaimer:

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample .

Note : All the above Test Parameters are carried out with the sample as received condition". The tests marked with an * are not accredited by NABL.

For NAWaL Analytical Laboratories

Authorized Signatory
V.Rohini
Microbiologist



End of Report



TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.