



NAWaL Analytical Laboratories

Test Report



TC-5834

066693


Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC583420000012311P Date: 24/06/2020

Sample ID No. : NAL/202006000012311
Discipline / Group : Chemical & Biological / Food & Agricultural products
Name of the Customer : A.R. DAIRY FOOD PRIVATE LIMITED
Address : 10/5C, Madurai Road, Begampur Post,
Dindigul - 624 002, Tamilnadu
Sample Described by the Customer : RAAJ TONED MILK
Requested By : Mr. G. Kannan - Manager - QC
Quantity Of The Sample Received : 500 ml x 5
Batch Code Number : WVP.E1
Use By Date : 17 JUNE 2020
Information about Sampling : Submitted by Customer
Customer Reference : By letter Dated.15/06/2020
Date of Sample Receipt : 16/06/2020
Date of Commencement of testing : 16/06/2020
Date of Completion of testing : 23/06/2020

S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011.
PHYSICAL PARAMETER					
1	Appearance	Visual Examination	-	White colour liquid, free from inorganic and Organic matter	-
2	Colour	Visual Examination	-	White colour	-
3	Taste	Organoleptic analysis	-	Characteristics	-
4	Odour	Organoleptic analysis	-	Characteristics	-
CHEMICAL PRESERVATIVES					
5	Formaline	IS 1479 (P-1).2016	-	Negative	-
6	Hydrogen peroxide as H ₂ O ₂	IS 1479 (P-1).2016	-	Negative	-
7	Boric acid	NAL/CHL/SOP/F012	-	Negative	-
8	Borate	NAL/CHL/SOP/F012	-	Negative	-
9	Gelatine	FSSAI Manual Milk and Milk Products - 1.2.16	-	Negative	-
10	QAC (Quaternary Ammonium)	IS 1479 (p - 1) 2016	-	Negative	-

Authorized Signatory



Page 1 of 7

Regd. Office & Lab: Plot No.: 100 & 109 New SIDCO Industrial Estate, Sri Nagar, Hosur - 635109, Tamil Nadu.
Phone: 04344 - 245841, 9894785841 E-mail: ecogreen.labs@gmail.com, green_balu74@yahoo.com

Marketing Office: No:10, 1st Floor, The commodity Exchange Building, Plot No: 2, 3 & 4, Sector-19A, Vashi, Navi Mumbai - 400 705, Maharashtra

TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories



TC-5834

Test Report

066692

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC583420000012311P		Date: 24/06/2020			
S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011.
	Compounds)				
11	Hypochlorides and Chloramines	IS 1479 (p - 1) 2016	-	Negative	-
12	Sulphate	NAL/CHL/SOP/F012	-	Negative	-
13	Maltodextrin	NAL/CHL/SOP/F012	-	Negative	-
14	Salicylic Acid	IS 1479 (p - 1) 2016	-	Negative	-
CHEMICAL PARAMETER					
15	Milk Fat	AOAC (20th Edition) 989.05	%	3.08	Min 3.0
16	Milk Solids-not-Fat	AOAC (20th Edition) 990.21	%	8.82	Min 8.5
17	Protein	IS 7219 - 1973	%	3.38	-
18	Carbohydrates	IS 1656 - 2007	%	5.22	-
19	Sodium	IS 9497 - 1980	mg/100g	36.0	-
20	Calcium	IS 5949 - 1990	mg/100g	130.0	-
21	Energy	NAL/CHL/SOP/F024	Kcal/100g	62.12	-
ADULTERANTS					
22	Cane sugar	IS 1479 (P-1):2016	-	Negative	-
23	Adding Glucose	NAL/CHL/SOP/F012	-	Negative	-
24	Starch	IS 1479 (P-1):2016	-	Negative	-
25	Urea	IS 1479 (P-01)2016	-	Negative	-
26	Sodium Chloride	NAL/CHL/SOP/F012	-	Negative	-
HEAVY METALS					
27	Lead as Pb	AOAC (20th Edition) 999.11. 2016	mg/kg	BLQ[LOQ-0.01]	Max 0.02
28	Arsenic as As	AOAC (20th Edition) 963.21. 2016	mg/kg	BLQ[LOQ-0.02]	Max 0.1
29	Copper as Cu	AOAC (20th Edition) 999.11. 2016	mg/kg	BLQ[LOQ-0.25]	Max 30.0
30	Tin as Sn	AOAC (20th Edition)	mg/kg	BLQ[LOQ-2.5]	Max 250.0





TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories

Test Report




TC-5834

066691

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC583420000012311P			Date. 24/06/2020		
S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011.
		980.19. 2016			
31	Cadmium as Cd	AOAC (20th Edition) 999.11. 2016	mg/kg	BLQ[LOQ-0.025]	Max 1.5
32	Mercury as Hg	AOAC (20th Edition) 971.21. 2016	mg/kg	BLQ[LOQ-0.02]	Max 1.0
33	Methyl Mercury as CH ₃ Hg*	AOAC (20th Edition) 983.20. 2016	mg/kg	BLQ[LOQ-0.01]	Max 0.25
CROP CONTAMINANTS					
34	Aflatoxin M1	AOAC 20th Edition 2016. 2000.08	µg/kg	BLQ[LOQ-0.2]	Max 0.5
PESTICIDE RESIDUES					
35	2,4-Dichlorophenoxy Acetic Acid	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
36	Acephate (expressed as mixture of Methamidophos and acephate).	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
37	Acetamiprid	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
38	Azoxystrobin	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
39	Carbendazim (Sum of benomyl and carbendazim expressed as carbendazim)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.1
40	Bifenthrin	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.2
41	Bitertanol	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
42	Buprofezin	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
43	Carbaryl	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
44	Carbofuran (sum of carbofuran and 3-hydroxy carbofuran)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
45	Chlorantraniliprole	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
46	Chlorothalonil	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.07
47	Chlorpyrifos	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
48	Clothianidin (Clothianidin and its	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02

Authorized Signatory



Continue



TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories

Test Report



TC-5834

066690

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000012311P

Date: 24/06/2020

S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011.
	metabolites				
49	Cypermethrin (sum of isomers) (Fat soluble residue)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
50	Deltamethrin (Decamethrin)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
51	Dichlorvos (DDVP) (content of dichloroacetaldehyde)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
52	Difenoconazole	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
53	Dimethoate	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
54	Dinotefuran	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.1
55	Mancozeb as CS2	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
56	Metiram as CS2	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
57	Edifenphos	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
58	Emamectin Benzoate	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
59	Ethion(Residues to be determined as ethion)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.5
60	Etofenprox (Etofenprox)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
61	Fenpropathrin	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.1
62	Fenvalerate (Fat soluble residue)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
63	Fipronil	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
64	Flubendiamide	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.1
65	Flusilazole	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
66	Glufosinate Ammonium	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
67	Imidacloprid	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.1
68	Indoxacarb	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.1
69	Kresoxim Methyl	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
70	Methomyl	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
71	Methyl Chlorophenoxy Acetic Acid (MCPA)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.04
72	Metolachlor	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01



Authorized Signatory



Continue....."



TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories



TC-5834

Test Report

066689


Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC583420000012311P Date: 24/06/2020

S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011.
73	Monocrotophos	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.02
74	Oxydemeton-Methyl	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
75	Paraquat dichloride (Determined as Paraquatcations)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
76	Penconazole	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
77	Phenthoate	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
78	Phorate (sum of Phorate, its oxygen analogue and their sulphoxides)	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
79	Pirimiphos-methyl	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
80	Propiconazole	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
81	Pyraclostrobin	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.03
82	Tebuconazole	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
83	Thiacloprid	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
84	Thiamethoxam	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
85	Thiophanate-Methyl	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
86	Trichlorfon	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.05
87	Triaccontanol	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
88	Triadimefon	NAL/INS/SOP/003	mg/kg	BLQ[LOQ-0.01]	Max 0.01
ANTIBIOTICS					
89	Ampicillin*	NAL/INS/SOP/LCMS014	mg/kg	BLQ[LOQ-0.01]	Max 0.01
90	Apramycin*	NAL/INS/SOP/LCMS014	mg/kg	BLQ[LOQ-0.01]	Max 0.01
91	Albendazole	NAL/INS/SOP/LCMS014	mg/kg	BLQ[LOQ-0.025]	Max 0.1
92	Tetracycline/Chlorotetracycline/Oxytetracycline	NAL/INS/SOP/LCMS016	mg/kg	BLQ[LOQ-0.01]	Max 0.1
93	Ceftiofur*	NAL/INS/SOP/LCMS020	mg/L	BLQ[LOQ-0.01]	Max 0.1
94	Cefpachtril*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
95	Doramectin*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.015
96	Diminazene*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.15



Authorized Signatory



"Continue....."

TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories



TC-5834

Test Report

066683

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000012311P Date: 24/06/2020

S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011,
97	Flunixin*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
98	Febantel/Fenbendazole/Oxyfendazole*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.005]	Max 0.1
99	Ivermectin	NAL/INS/SOP/LCMS014	mg/kg	BLQ[LOQ-0.005]	Max 0.01
100	Lincomycin*	NAL/INS/SOP/LCMS017	mg/kg	BLQ[LOQ-0.01]	Max 0.15
101	Monensin*	NAL/INS/SOP/LCMS018	mg/kg	BLQ[LOQ-0.002]	Max 0.002
102	Meloxicam*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
103	Neomycin	NAL/INS/SOP/LCMS017	mg/kg	BLQ[LOQ-0.5]	Max 1.5
104	Oxyclozanide*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
105	Parbendazole*	NAL/INS/SOP/LCMS014	mg/kg	BLQ[LOQ-0.01]	Max 0.01
106	Praziquantel*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
107	Spectinomycin*	NAL/INS/SOP/LCMS012	mg/L	BLQ[LOQ-0.01]	Max 0.2
108	Sulfadiazine	NAL/INS/SOP/LCMS012	mg/kg	BLQ[LOQ-0.01]	Max 0.01
109	Sulfanilamide	NAL/INS/SOP/LCMS012	mg/kg	BLQ[LOQ-0.01]	Max 0.01
110	Sulfaquinoxaline*	NAL/INS/SOP/LCMS012	mg/kg	BLQ[LOQ-0.01]	Max 0.01
111	Sulfadimidine	NAL/INS/SOP/LCMS012	mg/kg	BLQ[LOQ-0.01]	Max 0.025
112	Sulfa Chloropyrazine*	NAL/INS/SOP/LCMS012	mg/kg	BLQ[LOQ-0.01]	Max 0.01
113	Thiabendazole*	NAL/INS/SOP/LCMS014	mg/kg	BLQ[LOQ-0.01]	Max 0.1
114	Trimethoprim*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
115	Tylosin	NAL/INS/SOP/LCMS018	mg/kg	BLQ[LOQ-0.01]	-
116	Virginiamycin*	NAL/INS/SOP/LCMS020	mg/kg	BLQ[LOQ-0.01]	Max 0.01
OTHER CONTAMINANTS					
117	Melamine	NAL/INS/SOP/045	mg/kg	BLQ[LOQ-0.001]	Max 2.5
BIOLOGICAL PARAMETERS					
118	Total Plate Count	IS 5402 : 2012	Cfu/ml	2000	Max 30000
119	Coliform	IS 5401 - 1 : 2012	Cfu/ml	<1	Max 10
120	Salmonella	IS 5887 - 3 : 1999	P/A/25ml	Absent	Absent
121	Staphylococcus aureus	IS 5887 - 2 : 1976	Cfu/ml	<1	NA
122	Yeast & Mould	IS 5402 : 1999	Cfu/ml	<1	NA
123	Listeria Monocytogens	IS 14988 - 1 : 2001	P/A/ml	Absent	Absent

Authorized Signatory





TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.



NAWaL Analytical Laboratories



TC-5834

Test Report

066687

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC583420000012311P				Date: 24/06/2020	
S.No.	TEST PARAMETER	TEST PROTOCOL	UNITS	TEST RESULTS	LIMITS AS PER FSSAI 2011.
124	E Coli	IS 5887 - 1 : 1976	F/A/ml	Absent	NA

Disclaimer: This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

Note : The sample confirms to the FSSR 2011 for the above tested parameters.

The tests marked with an * are not accredited by NABL

Authorized Signatory


Dr. P.S.Dheenan
(Dy.Technical Manager MicroBiology)

For NAWaL Analytical Laboratories

Authorized Signatory

D. Balakrishnan
Chief Executive Officer

End of Report



TERMS & CONDITIONS

Test report issued by NAWaL Analytical Laboratories is subject to the following terms and conditions.

- (i) Test Results refer only to the tested samples and applicable parameters.
- (ii) The remnant shall be disposed off after 3 months of completion of chemical and microbiological testing of PDW.
- (iii) Other samples will be disposed after 15 days for chemical testing, 7 days for microbiological testing from the date of issue of TC.
- (iv) Total liability of our laboratory is limited to the invoice amount.
- (v) This report is not to be reproduced or distributed wholly or in part, and cannot be used as an evidence in the court to law and should not be used in any advertising media without the prior written permission of NAWaL Analytical Lab.
- (vi) In case any reconfirmation of contents of this test certificate is required, please contact our office.