



## TEST REPORT

TC-6118

Page 1 of 4

Report No : FDC21080127-01

Report Date: 23 Aug 2021

**Customer Name** : M/s. A.R.Dairy Food Private Limited  
**Customer Address** : No:10/5C, Madurai Road, Begampur Post, Dindigul-624 002  
**Sample Name** : Malabar Double Toned Milk **Sample Quantity** : 500ml\*5No's  
**Sample Description** : Malabar Double Toned Milk **Sample Received on** : 17 Aug 2021  
**Reference** : Customer Letter Dated 16.08.2021 **Test Started on** : 17 Aug 2021  
**Sample Identification** : Batch No: OXF.F1, Use By Date: 18 Aug 21 **Test Completed on** : 23 Aug 2021  
**Sample Drawn By** : Customer

### TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2021
<b>Antibiotics - Sulfonamides</b>					
1	Sulfadiazine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
2	Sulfaguanidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
3	Sulfamethazine / Sulfadimidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.025
4	Sulfanilamide	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
5	Sulfaquinolaxin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
6	Sulphadiazine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
7	Sulphathiazole sodium	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
<b>Antibiotics- Beta Lactum</b>					
8	Amoxicilline trihydrate	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
9	Ampicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
10	Cephapirin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
11	Ceftiofur	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
12	Cloxacillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
13	Penicillin G	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
<b>Antibiotics- Fluoroquinolones</b>					
14	Enrofloxacin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
<b>Antibiotics-Tetracyclines</b>					
15	Oxytetracycline	SMSLA/LS/SOP/06	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
<b>Biological</b>					
16	Aerobic Plate count	IS 5402	cfu/ml	12000	NMT 30000/ml
17	Coliform	IS: 5401 (Part 1)	cfu/ml	<1	<10/ml
18	Listeria monocytogenes	IS: 14988 (Part 1)	--	Absent/25mL	Absent/25ml

S. Anbarasan  
Authorized Signatory- Biological

R. Kotteswaran  
Authorized Signatory - Chemical

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & OHSAS 18001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



## TEST REPORT



Report No : FDC21080127-01

Report Date: 23 Aug 2021

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2021
19	Salmonella	IS: 5887 (Part 3)	--	Absent/25mL	Absent/25ml
<b>Chemical</b>					
20	Carbohydrates	IS 1656	g/100g	4.95	--
21	Energy Value	SMSLA/FD/SOP/011	Kcal/100g	47.63	--
22	Fat	FSSAI Manual 1	g/100g	1.59	NLT 1.50
23	Formaldehyde	FSSAI Manual 1	--	Absent	--
24	Hydrogen Peroxide (H2O2)	FSSAI Manual 1	--	Absent	--
25	Protein	AOAC 2001.11	g/100g	3.38	--
26	Solid Not Fat (SNF)	AOAC 990.21	g/100g	9.21	NLT 9.00
27	Phosphorus	AOAC 995.11	mg/kg	948.68	NMT 1500
<b>Chemical - Adulterants</b>					
28	Added Urea	FSSAI Manual 1	--	Absent	Absent
29	Starch	FSSAI Manual 1	--	Absent	--
30	Cellulose	FSSAI Manual 1	--	Absent	--
31	Sodium Chloride	FSSAI Manual 1	--	Absent	--
32	Maltodextrin	IS 1479 (Part 1)	--	Absent	--
<b>Chemical - Preservatives</b>					
33	Boric Acid & Borates	FSSAI Manual 1	--	Absent	Absent
<b>Cyanamides</b>					
34	Melamine	SMSLA/LS/SOP/11	mg/kg	BLQ(LOQ:0.01)	NMT 2.5
<b>Fatty Acid Profile</b>					
35	Saturated Fat	SMSLA/GM/SOP/01	g/100g	1.07	--
36	Trans Fat	SMSLA/GM/SOP/01	g/100g	BLQ (LOQ:0.001)	--
37	Polyunsaturated Fat	SMSLA/GM/SOP/01	g/100g	0.034	--
38	Monounsaturated Fat	SMSLA/GM/SOP/01	g/100g	0.485	--
<b>Heavy Metals</b>					
39	Arsenic as As	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
40	Lead as Pb	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
41	Methyl Mercury (Calculated as the element)	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.1)	NMT 0.25
<b>Minerals</b>					
42	Calcium as Ca	SMSLA/IS/SOP/05	mg/100g	135.50	--
43	Sodium as Na	SMSLA/IS/SOP/05	mg/100g	43.80	--
<b>Mycotoxins</b>					
44	Aflatoxin M1	SMSLA/HC/SOP/03	µg/kg	BLQ(LOQ:0.25)	NMT 0.5
<b>Pesticide Residues</b>					
45	2,4-D	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
46	Acephate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02

R. Kotteswaran

Authorized Signatory - Chemical

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
 Certified By : ISO 9001 & OHSAS 18001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



Page 3 of 4

Report No : FDC21080127-01

Report Date: 23 Aug 2021

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2021
47	Acetamidiprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
48	Azoxystrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
49	Benomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
50	Bifenthrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.2
51	Bitertanol	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
52	Buprofezin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
53	Carbaryl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
54	Carbendazim	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
55	Carbofuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
56	Chlorantraniliprole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
57	Chlorothalonil	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.07
58	Chlorpyrifos	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
59	Clothianidin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
60	Cypermethrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
61	Deltamethrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
62	Dichlorvos	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
63	Difenoconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
64	Dimethoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
65	Dinotefuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
66	Edifenphos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
67	Emamectin benzoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
68	Ethion	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.5
69	Etofenprox	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
70	Fenpropathrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
71	Fenpyroximate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
72	Fipronil	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
73	Flubendiamide	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
74	Flusilazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
75	Glufosinate ammonium	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
76	Imidacloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
77	Indoxacarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1

**R. Kotteswaran**  
Authorized Signatory - Chemical

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & OHSAS 18001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



## TEST REPORT



Report No : FDC21080127-01

Report Date: 23 Aug 2021

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2021
78	Kresoxim methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
79	Mancozeb	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
80	Metalachlor	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
81	Methomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
82	Methyl Chlorophenoxy Acetic Acid (MCPA)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.04
83	Metiram as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
84	Monocrotophos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
85	Oxydemeton methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
86	Paraquat dichloride	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
87	Penconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
88	Phenthoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
89	Phorate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
90	Pirimiphos Ethyl /Pirimiphos Methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
91	Propiconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
92	Pyraclostrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.03
93	Tebuconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
94	Thiocloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
95	Thiodicarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
96	Thiometon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
97	Triacantanol	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
98	Triadimefon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
99	Trichlorfon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
<b>Sterols</b>					
100	Cholesterol	SMSLA/GM/SOP/02	mg/100g	6.15	--

Remarks: The sample complies with the specification as per FSSR 2011, Amendment 2021 for the above tested parameters.

Note : BLQ: Below Quantification Limit, LOQ: Limit of Quantification. NMT: Not more than. NLT: Not less than

&lt;1 cfu/mL can be taken as absent.cfu-colony forming unit.

/\*\*\*\*\* End of the Report \*\*\*\*\*/

R. Kotteeswaran  
Authorized Signatory - Chemical

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.