



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



TC-6118

ULR - TC611822000000209F  
Report No : QFD22010063-01

Page 1 of 5  
Report Date: 13 Jan 2022

Customer Name : M/s. A.R.Dairy Food Private Limited  
Customer Address : No:10/5C, Madurai Road,Begampur Post, Dindigul-624 002  
Sample Name : Raaj Standardized Milk  
Sample Description : Raaj Standardized Milk  
Reference : Test Request Form Date 07.01.2022  
Sample Identification : Batch No:CZZ.D1, Use By Date:09.01.2022  
Sample Drawn By : Customer  
Sample Quantity : 500ml x 4No's  
Sample Received on : 08 Jan 2022  
Test Started on : 08 Jan 2022  
Test Completed on : 13 Jan 2022

### TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
<b>Food &amp; Agri- Milk &amp; Dairy Products</b>					
<b>Antibiotics - Beta Lactam</b>					
1	Amoxicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
2	Ampicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
3	Cefapirin (Cephapirin)	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
4	Ceftiofur	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
5	Cloxacillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
6	Penicillin G	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
<b>Antibiotics - Sulfonamides</b>					
7	Sulfadiazine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
8	Sulfaguanidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
9	Sulfamethazine / Sulfadimidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.025
10	Sulfanilamide	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
11	Sulfaquinoxaline / Sulfachinoxalin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
12	Sulfathiazole	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
<b>Antibiotics- Fluoroquinolones</b>					
13	Enrofloxacin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
<b>Antibiotics-Tetracyclines</b>					
14	Sum of Oxytetracycline (OTC) and 4- Epioxytetracycline (4-EOTC)	SMSLA/LS/SOP/06	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
<b>Biological</b>					
15	<i>Listeria monocytogenes</i>	IS 14988 (Part 1)	Per 25mL	Absent	Absent

K. PRAKASH  
Senior Chemist

D. KARTHIK  
Microbiologist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



TC-6118

ULR - TC611822000000209F  
Report No : QFD22010063-01

Page 2 of 5  
Report Date: 13 Jan 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
16	<i>Salmonella spp</i>	IS 5887 (Part 3)	Per 25mL	Absent	Absent
17	<i>Total Coliforms</i>	IS 5401 (Part 1)	cfu/mL	<1	NMT 10
18	<i>Total Plate Count</i>	IS 5402	cfu/mL	1700	NMT 30000
<b>Chemical</b>					
19	Added Urea	FSSAI Manual 1	--	Absent	--
20	Boric Acid & Borates	FSSAI Manual 1	--	Absent	--
21	Total Carbohydrates	IS 1656	g/100g	4.95	--
22	Cellulose	FSSAI Manual 1	--	Absent	--
23	Dietary Fibre	AOAC 985.29	g/100g	Nil	--
24	Energy	SMSLA/FD/SOP/011	Kcal/100g	74.23	--
25	Total Fat	FSSAI Manual 1	g/100g	4.59	NLT 4.5
26	Hydrogen Peroxide	FSSAI Manual 1	--	Absent	--
27	Maltodextrin/ Dextrin	IS 1479 (Part 1)	--	Absent	--
28	Protein	AOAC 2001.11	g/100g	3.28	--
29	Solid Not Fat	AOAC 990.21	g/100g	8.68	NLT 8.5
30	Total Sugar	SMSLA/FD/SOP/019	g/100g	4.95	--
31	Added Sugar	SMSLA/FD/SOP/019	g/100g	Nil	--
32	Formaldehyde	FSSAI Manual 1	--	Absent	--
<b>Fatty Acid Profile</b>					
33	Saturated Fat	SMSLA/GM/SOP/01	g/100g	3.0	--
34	Trans Fat	SMSLA/GM/SOP/01	g/100g	BLQ(LOQ:0.001)	--
<b>Mycotoxins</b>					
35	Aflatoxin M1	SMSLA/HC/SOP/03	µg/kg	BLQ(LOQ:0.25)	NMT 0.5
<b>Others - Cyanamides</b>					
36	Melamine	SMSLA/LS/SOP/11	mg/kg	BLQ(LOQ:0.01)	NMT 2.5
<b>Pesticides</b>					
37	(2,4-Dichlorophenoxy) acetic acid sodium salt	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
38	Acephate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
39	Acetamiprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02

**S. RESHMA**  
Senior Chemist

**D. KARTHIK**  
Microbiologist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT




TC-6118

ULR - TC611822000000209F  
Report No : QFD22010063-01

Page 3 of 5  
Report Date: 13 Jan 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
40	Azoxystrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
41	Benomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
42	Bifenthrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.2
43	Bitertanol	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
44	Buprofezin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
45	Carbaryl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
46	Carbendazim	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
47	Carbofuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
48	Chlorantraniliprole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
49	Chlorothalonil	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.07
50	Chlorpyrifos Ethyl	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
51	Clothianidin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
52	Cypermethrin-(I,II,III,IV)	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
53	Deltamethrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
54	Dichlorvos	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
55	Difenoconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
56	Dimethoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
57	Dinotefuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
58	Edifenphos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
59	Emamectin benzoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
60	Ethion	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.5
61	Etofenprox	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
62	Fenpropathrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
63	Fenpyroximate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
64	Fipronil	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
65	Flubendiamide	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
66	Flusilazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
67	Glufosinate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
68	Imidacloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
69	Indoxacarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1

  
K.PRAKASH  
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



TC-6118

ULR - TC611822000000209F  
Report No : QFD22010063-01

Page 4 of 5  
Report Date: 13 Jan 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
70	Kresoxim methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
71	Mancozeb as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
72	Metalachlor	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
73	Methomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
74	Methyl Chlorophenoxy Acetic Acid (MCPA)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.04
75	Metiram as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
76	Monocrotophos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
77	Oxydemeton methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
78	Paraquat	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
79	Penconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
80	Phenthoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
81	Phorate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
82	Pirimiphos methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
83	Propiconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
84	Pyraclostrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.03
85	Tebuconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
86	Thiocloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
87	Thiodicarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
88	Thiometon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
89	Triacantanol	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
90	Triadimefon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
91	Trichlorfon (Dylox)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
<b>Preservatives</b>					
92	Sorbic acid	SMSLA/HC/SOP/18	mg/kg	BLQ(LOQ:10.0)	--
<b>Sterols</b>					
93	Cholesterol	SMSLA/GM/SOP/02	mg/100g	16.5	--
<b>Trace Metal Elements</b>					
94	Arsenic	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.1)	NMT 0.1
95	Calcium	SMSLA/IS/SOP/05	mg/100g	125.0	--

  
K. PRAKASH  
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



TC-6118

ULR - TC611822000000209F  
Report No : QFD22010063-01

Page 5 of 5  
Report Date: 13 Jan 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
96	Lead	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
97	Methyl Mercury [Calculated as Element]	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.1)	NMT 0.25
98	Potassium	SMSLA/IS/SOP/05	mg/100g	175.0	--
99	Sodium	SMSLA/IS/SOP/05	mg/100g	47.52	--

Remarks: The sample complies with the specification as per FSSR 2011, Amendment 2022 for the above tested parameters.  
Note: BLQ: Below Limit of Quantification; LOQ: Limit of Quantification. NMT: Not more than; NLT: Not less than  
<1cfu/mL can be taken as absent.cfu-colony forming unit.

/\*\*\*\*\* End of the Report \*\*\*\*\*/

  
K.PRAKASH  
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.  
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.