



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

Page 1 of 5

ULR - TC611822000000967F

Report No : QFD22020140-02

Report Date: 14 Feb 2022

Customer Name : M/s. A.R.Dairy Food Private Limited
Customer Address : No:10/5C, Madurai Road,Begampur Post, Dindigul-624 002
Sample Name : Malabar Skim Curd
Sample Description : Malabar Skim Curd
Reference : Test Request Form Date 08.02.2022
Sample Identification : Batch No:A*KUO.B2, Mfg Date:02.02.2022, Exp Date:12.02.2022
Sample Drawn By : Customer

Sample Quantity : 450g x 4No's
Sample Received on : 09 Feb 2022
Test Started on : 09 Feb 2022
Test Completed on : 14 Feb 2022

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Food & Agri- Milk & Dairy Products					
Antibiotics - Beta Lactam					
1	Amoxicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
2	Ampicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
3	Cefapirin (Cephapirin)	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
4	Ceftiofur	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
5	Cloxacillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
6	Penicillin G	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
Antibiotics - Sulfonamides					
7	Sulfadiazine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
8	Sulfaguanidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
9	Sulfamethazine / Sulfadimidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
10	Sulfanilamide	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
11	Sulfaquinoxaline / Sulfachinoxalin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
12	Sulfathiazole	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
Antibiotics- Fluoroquinolones					
13	Enrofloxacin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.01)	--
Antibiotics-Tetracyclines					
14	Sum of Oxytetracycline (OTC) and 4- Epioxytetracycline (4-EOTC)	SMSLA/LS/SOP/06	mg/kg	BLQ(LOQ:0.01)	--

K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

Page 2 of 5

ULR - TC611822000000967F

Report No : QFD22020140-02

Report Date: 14 Feb 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Biological					
15	<i>Escherichia coli</i>	IS 5887 (Part 1)	Per g	Absent	Absent
16	<i>Listeria monocytogenes</i>	IS 14988 (Part 1)	Per g	Absent	Absent
17	<i>Salmonella spp</i>	IS 5887 (Part 3)	Per 25g	Absent	Absent
18	<i>Staphylococcus aureus</i>	IS 5887 (Part 2)	cfu/g	<10	NMT 10
19	Total Coliforms	IS 5401 (Part 1)	cfu/g	<10	NMT 10
20	Yeast and mould	IS 5403	cfu/g	<10	NMT 50
Chemical					
21	Added Urea	FSSAI Manual 1	--	Absent	--
22	Boric Acid & Borates	FSSAI Manual 1	--	Absent	--
23	Total Carbohydrates	IS 1656	g/100g	7.19	--
24	Cellulose	FSSAI Manual 1	--	Absent	--
25	Dietary Fibre	AOAC 985.29	g/100g	Nil	--
26	Energy	SMSLA/FD/SOP/011	Kcal/100g	50.59	--
27	Total Fat	FSSAI Manual 1	g/100g	0.47	NMT 0.5
28	Maltodextrin/ Dextrin	IS 1479 (Part 1)	--	Absent	--
29	Protein	AOAC 2001.11	g/100g	4.40	--
30	Solid Not Fat	AOAC 990.21	g/100g	12.68	NLT 8.7
31	Starch	FSSAI Manual 1	--	Absent	--
32	Total Sugar	SMSLA/FD/SOP/019	g/100g	7.19	--
33	Added Sugar	FSSAI Manual 1	g/100g	Nil	--
Fatty Acid Profile					
34	Saturated Fat	SMSLA/GM/SOP/01	g/100g	0.3	--
35	Trans Fat	SMSLA/GM/SOP/01	g/100g	BLQ(LOQ:0.001)	--
Mycotoxins					
36	Aflatoxin M1	SMSLA/HC/SOP/03	µg/kg	BLQ(LOQ:0.25)	--
Others - Cyanamides					
37	Melamine	SMSLA/LS/SOP/11	mg/kg	BLQ(LOQ:0.01)	NMT 2.5

D. Karthik
D. KARTHIK
Microbiologist

K. Prakash
K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- * The results relate only to the items tested.
- * Reports shall not be reproduced except in full without the approval of the Laboratory.
- * The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000000967F

Report No : QFD22020140-02

Page 3 of 5

Report Date: 14 Feb 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Pesticides					
38	(2,4-Dichlorophenoxy) acetic acid sodium salt	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
39	Acephate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
40	Acetamiprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
41	Azoxystrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
42	Benomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
43	Bifenthrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.2
44	Bitertanol	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
45	Buprofezin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
46	Carbaryl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
47	Carbendazim	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
48	Carbofuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
49	Chlorantraniliprole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
50	Chlorothalonil	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.07
51	Chlorpyrifos Ethyl	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
52	Clothianidin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
53	Cypermethrin-(I,II,III,IV)	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
54	Deltamethrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
55	Dichlorvos	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
56	Difenoconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
57	Dimethoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
58	Dinotefuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
59	Edifenphos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
60	Emamectin benzoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
61	Ethion	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.5
62	Etofenprox	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
63	Fenpropathrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
64	Fenpyroximate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
65	Fipronil	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
66	Flubendiamide	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1

K. Prakash
K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000000967F

Report No : QFD22020140-02

Page 4 of 5

Report Date: 14 Feb 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
67	Flusilazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
68	Glufosinate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
69	Imidacloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
70	Indoxacarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
71	Kresoxim methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
72	Mancozeb as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
73	Metalachlor	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
74	Methomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
75	Methyl Chlorophenoxy Acetic Acid (MCPA)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.04
76	Metiram as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
77	Monocrotophos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
78	Oxydemeton methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
79	Paraquat	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
80	Penconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
81	Phenthoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
82	Phorate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
83	Pirimiphos methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
84	Propiconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
85	Pyraclostrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.03
86	Tebuconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
87	Thiocloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
88	Thiodicarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
89	Thiometon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
90	Triacantanol	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
91	Triadimefon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
92	Trichlorfon (Dylox)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
Preservatives					
93	Sorbic acid	SMSLA/HC/SOP/18	mg/kg	BLQ(LOQ:10.0)	--
Sterols					
94	Cholesterol	SMSLA/GM/SOP/02	mg/100g	1.80	--

K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000000967F

Report No : QFD22020140-02

Page 5 of 5

Report Date: 14 Feb 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Trace Metal Elements					
95	Arsenic	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.1)	NMT 1.1
96	Calcium	SMSLA/IS/SOP/05	mg/100g	125.01	--
97	Lead	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
98	Methyl Mercury [Calculated as Element]	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.1)	NMT 0.25
99	Potassium	SMSLA/IS/SOP/05	mg/100g	175.0	--
100	Sodium	SMSLA/IS/SOP/05	mg/100g	115.1	--

Remarks: The sample complies with the specification as per FSSR 2011, Amendment 2022 for the above tested parameters.

Note: BLQ: Below Limit of Quantification; LOQ: Limit of Quantification. NMT: Not more than. NLT: Not less than
<10Cfu/g can be taken as absent in 1:10 dilution.cfu-colony forming unit.

/***** End of the Report *****/

K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.