



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118
Page 1 of 5


ULR - TC61182200006933F
Report No : QFD22070462-04

Report Date: 03 Aug 2022

Customer Name : M/s. A.R.Dairy Food Private Limited
Customer Address : No:10/5C, Madurai Road,Begampur Post, Dindigul-624 002
Sample Name : Raaj Paneer **Sample Quantity** : 200g x 3No's
Sample Description : Raaj Paneer **Sample Received on** : 29 Jul 2022
Reference : Test Request Form Dated 28.07.2022 **Test Started on** : 29 Jul 2022
Sample Identification : Batch Coding No: 102, Packing Date: 18.07.2022, Use By Date: 06.08.2022 **Test Completed on** : 03 Aug 2022
Sample Drawn By : Customer

TEST RESULTS

| S.NO | Parameter | Test Method | Unit | Results | Requirement as per FSSR 2011 Amd.2022 |
|---|---|-----------------|-------|----------------|---------------------------------------|
| Food & Agri- Milk & Dairy Products | | | | | |
| Antibiotics - Beta Lactam | | | | | |
| 1 | Amoxicillin | SMSLA/LS/SOP/09 | mg/kg | BLQ(LOQ:0.01) | -- |
| 2 | Ampicillin | SMSLA/LS/SOP/09 | mg/kg | BLQ(LOQ:0.01) | -- |
| 3 | Cefapirin (Cephapirin) | SMSLA/LS/SOP/09 | mg/kg | BLQ(LOQ:0.01) | -- |
| 4 | Ceftiofur | SMSLA/LS/SOP/09 | mg/kg | BLQ(LOQ:0.01) | -- |
| 5 | Cloxacillin | SMSLA/LS/SOP/09 | mg/kg | BLQ(LOQ:0.01) | -- |
| 6 | Penicillin G | SMSLA/LS/SOP/09 | mg/kg | BLQ(LOQ:0.01) | -- |
| Antibiotics - Sulfonamides | | | | | |
| 7 | Sulfadiazine | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.005) | -- |
| 8 | Sulfaguanidine | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.005) | -- |
| 9 | Sulfamethazine / Sulfadimidine | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.005) | -- |
| 10 | Sulfanilamide | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.005) | -- |
| 11 | Sulfaquinolaxaline / Sulfachinoxalin | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.005) | -- |
| 12 | Sulfathiazole | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.005) | -- |
| Antibiotics- Fluoroquinolones | | | | | |
| 13 | Enrofloxacin | SMSLA/LS/SOP/07 | mg/kg | BLQ(LOQ:0.01) | -- |
| Antibiotics-Tetracyclines | | | | | |
| 14 | Sum of Oxytetracycline (OTC) and 4- Epioxytetracycline (4-EOTC) | SMSLA/LS/SOP/06 | mg/kg | BLQ(LOQ:0.01) | -- |


K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118
Page 2 of 5

ULR - TC61182200006933F

Report No : QFD22070462-04

Report Date: 03 Aug 2022

| S.NO | Parameter | Test Method | Unit | Results | Requirement as per FSSR 2011 Amd.2022 |
|----------------------------|---|-------------------|-----------|----------------|---------------------------------------|
| Biological | | | | | |
| 15 | <i>Escherichia coli</i> | IS 5887 (Part 1) | Per g | Absent | NMT 10 |
| 16 | <i>Listeria monocytogenes</i> | IS 14988 (Part 1) | Per g | Absent | Absent |
| 17 | <i>Salmonella spp</i> | IS 5887 (Part 3) | Per 25g | Absent | Absent |
| 18 | <i>Staphylococcus aureus</i> | IS 5887 (Part 2) | cfu/g | <10 | NMT 10 |
| 19 | Total Coliforms | IS 5401 (Part 1) | cfu/g | <10 | NMT 10 |
| 20 | Total Plate Count | IS 5402 | cfu/g | 800 | NMT 150000 |
| 21 | Yeast and mould | IS 5403 | cfu/g | <10 | NMT 50 |
| Chemical | | | | | |
| 22 | Added Sugar | FSSAI Manual 1 | -- | Absent | -- |
| 23 | Total Carbohydrates | IS 1656 | g/100g | 4.28 | -- |
| 24 | Dietary Fibre | AOAC 985.29 | g/100g | Nil | -- |
| 25 | Energy | SMSLA/FD/SOP/011 | Kcal/100g | 367.28 | -- |
| 26 | Total Fat (ODB) | FSSAI Manual 1 | g/100g | 54.10 | NLT 50.0 |
| 27 | Moisture | FSSAI Manual 1 | g/100g | 44.62 | NMT 60.0 |
| 28 | Protein | AOAC 2001.11 | g/100g | 20.12 | -- |
| 29 | Total ash | FSSAI Manual 1 | g/100g | 1.02 | -- |
| 30 | Total Solids | FSSAI Manual 1 | g/100g | 55.38 | -- |
| 31 | Total Sugar | SMSLA/FD/SOP/019 | g/100g | 4.28 | -- |
| Fatty Acid Profile | | | | | |
| 32 | Mono-unsaturated Fat | SMSLA/GM/SOP/01 | g/100g | 8.358 | -- |
| 33 | Polyunsaturated Fat | SMSLA/GM/SOP/01 | g/100g | 12.752 | -- |
| 34 | Saturated Fat | SMSLA/GM/SOP/01 | g/100g | 31.652 | -- |
| 35 | Trans Fat | SMSLA/GM/SOP/01 | g/100g | BLQ(LOQ:0.001) | -- |
| Mycotoxins | | | | | |
| 36 | Aflatoxin M1 | SMSLA/HC/SOP/03 | µg/kg | BLQ(LOQ:0.25) | -- |
| Others - Cyanamides | | | | | |
| 37 | Melamine | SMSLA/LS/SOP/11 | mg/kg | BLQ(LOQ:0.01) | NMT 2.5 |
| Pesticides | | | | | |
| 38 | (2,4-Dichlorophenoxy) acetic acid sodium salt | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 39 | Acephate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |

D. KARTHIK
Microbiologist

S. RESIMA
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118
Page 3 of 5

ULR - TC61182200006933F

Report No : QFD22070462-04

Report Date: 03 Aug 2022

| S.NO | Parameter | Test Method | Unit | Results | Requirement as per FSSR 2011 Amd.2022 |
|------|----------------------------|-----------------|-------|---------------|---------------------------------------|
| 40 | Acetamiprid | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 41 | Azoxystrobin | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 42 | Benomyl | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |
| 43 | Bifenthrin | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.2 |
| 44 | Bitertanol | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 45 | Buprofezin | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 46 | Carbaryl | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 47 | Carbendazim | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |
| 48 | Carbofuran | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 49 | Chlorantraniliprole | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 50 | Chlorothalonil | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.07 |
| 51 | Chlorpyrifos Ethyl | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 52 | Clothianidin | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 53 | Cypermethrin-(I,II,III,IV) | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 54 | Deltamethrin | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 55 | Dichlorvos | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 56 | Difenoconazole | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 57 | Dimethoate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 58 | Dinotefuran | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |
| 59 | Edifenphos | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 60 | Emamectin benzoate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 61 | Ethion | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.5 |
| 62 | Etofenprox | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 63 | Fenpropathrin | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |
| 64 | Fenpyroximate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | -- |
| 65 | Fipronil | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 66 | Flubendiamide | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |
| 67 | Flusilazole | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 68 | Glufosinate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 69 | Imidacloprid | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |
| 70 | Indoxacarb | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.1 |

K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118
Page 4 of 5

ULR - TC61182200006933F

Report No : QFD22070462-04

Report Date: 03 Aug 2022

| S.NO | Parameter | Test Method | Unit | Results | Requirement as per FSSR 2011 Amd.2022 |
|-----------------------------|---|-----------------|---------|---------------|---------------------------------------|
| 71 | Kresoxim methyl | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 72 | Mancozeb as CS2 | SMSLA/GM/SOP/05 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 73 | Metalachlor | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 74 | Methomyl | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 75 | Methyl Chlorophenoxy Acetic Acid (MCPA) | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.04 |
| 76 | Metiram as CS2 | SMSLA/GM/SOP/05 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 77 | Monocrotophos | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.02 |
| 78 | Oxydemeton methyl | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 79 | Paraquat | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 80 | Penconazole | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 81 | Phenthoate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 82 | Phorate | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 83 | Pirimiphos methyl | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 84 | Propiconazole | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 85 | Pyraclostrobin | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.03 |
| 86 | Tebuconazole | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 87 | Thiocloprid | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| 88 | Thiodicarb | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | -- |
| 89 | Thiometon | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | -- |
| 90 | Triacantanol | SMSLA/GS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 91 | Triadimefon | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.01 |
| 92 | Trichlorfon (Dylox) | SMSLA/LS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 0.05 |
| Sterols | | | | | |
| 93 | Cholesterol | SMSLA/GM/SOP/02 | mg/100g | 110.8 | -- |
| Trace Metal Elements | | | | | |
| 94 | Arsenic | SMSLA/IS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 1.1 |
| 95 | Calcium | SMSLA/IS/SOP/05 | mg/100g | 525 | -- |
| 96 | Iron | SMSLA/IS/SOP/05 | mg/100g | 22.00 | -- |
| 97 | Lead | SMSLA/IS/SOP/02 | mg/kg | BLQ(LOQ:0.01) | NMT 2.5 |
| 98 | Magnesium | SMSLA/IS/SOP/05 | mg/100g | 6.20 | -- |

K. Prakash

K. PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118
Page 5 of 5


ULR - TC611822000006933F
Report No : QFD22070462-04

Report Date: 03 Aug 2022

| S.NO | Parameter | Test Method | Unit | Results | Requirement as per FSSR 2011 Amd.2022 |
|------|--|-----------------|---------|--------------|---------------------------------------|
| 99 | Methyl Mercury [Calculated as Element] | SMSLA/IS/SOP/02 | mg/kg | BLQ(LOQ:0.1) | NMT 0.25 |
| 100 | Potassium | SMSLA/IS/SOP/05 | mg/100g | 175.2 | -- |
| 101 | Sodium | SMSLA/IS/SOP/05 | mg/100g | 82.5 | -- |

Note: BLQ: Below Limit of Quantification; LOQ: Limit of Quantification. cfu-colony forming unit. NMT: Not more than.
Remarks: The sample complies with the specification as per FSSR 2011, Amendment 2022 for the above tested parameters.

/***** End of the Report *****/


K.PRAKASH
Senior Chemist

Laboratory Address : 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.
Certified By : ISO 9001 & ISO 45001.

- ★ The results relate only to the items tested.
- ★ Reports shall not be reproduced except in full without the approval of the Laboratory.
- ★ The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.