

SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000011964F

Report No: QFD22090449-01

Page 1 of 1

Report Date: 05 Oct 2022

Customer Name

: M/s. A.R.Dairy Food Private Limited

Customer Address

: No:10/5C, Madurai Road, Begampur Post, Dindigul-624 002

Sample Name

: "RAAJ" Spray Dried Skimmed Milk Powder

Sample Quantity

: 1kg x 1No

Sample Received on

: 29 Sep 2022

Sample Description

: "RAAJ" Spray Dried Skimmed Milk Powder

Reference

: Test Request Form Dated 28.09.2022

Test Started on

: 29 Sep 2022

Sample Identification

: Batch No: 030, Mfg Date: Sep-2022

Test Completed on

: 04 Oct 2022

Sample Drawn By

: Customer

TEST RESULTS

s.no	Parameter	Test Method	Unit	Results	Requirements as per IS 13334 (Part-1)2014
Food	& Agri- Milk & Dairy Products				
Biolog	gical		0		
1	Bacillus cereus	IS 5887 (Part 6)	cfu/g	<10	NMT 100
2	Escherichia coli	IS 5887 (Part 1)	Per g	Absent	Absent
3	Listeria monocytogenes	IS 14988 (Part 1)	Per g	Absent	Absent
4	Salmonella spp	IS 5887 (Part 3)	Per 25g	Absent	Absent
5	Staphylococcus aureus	IS 5887 (Part 2)	cfu/g	<10	NMT 10
6	Sulphite Reducing Clostridia	ISO 15213	cfu/g	<10	NMT 10
7	Total Coliforms	IS 5401 (Part 1)	cfu/g	<10	NMT 10
8	Total Plate Count	IS 5402	cfu/g	2000	NMT 40000

Remarks: The sample conforms to the specification as per IS 13334 (Part-1)2014 for the above tested parameters.

Note: <10Cfu/g can be taken as absent in 1:10 dilution.cfu-colony forming unit. NMT: Not more than.

/****** End of the Report ********/

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.

• Reports shall not be reproduced except in full without the approval of the Laboratory.

• The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount.

The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.

[•] The results relate only to the items tested.