



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT

Market Sample
Cross verify



TC-6118

ULR - TC611822000014847F
Report No : QFD22100427-01

Page 1 of 5
Report Date: 05 Nov 2022

Customer Name : M/s. A.R.Dairy Food Private Limited
Customer Address : No:10/5C, Madurai Road,Begampur Post, Dindigul-624 002
Sample Name : "Raaj" Full Cream Milk
Sample Description : "Raaj" Full Cream Milk
Reference : Test Request Form Dated 29.10.2022
Sample Identification : Batch N: ZCZ.B1, Exp Date: 31 Oct 2022
Sample Drawn By : Customer
Sample Quantity : 500ml x 3No's
Sample Received on : 31 Oct 2022
Test Started on : 31 Oct 2022
Test Completed on : 05 Nov 2022

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Food & Agri- Milk & Dairy Products					
Antibiotics - Beta Lactam					
1	Amoxicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
2	Ampicillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
3	Cefapirin (Cephapirin)	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
4	Ceftiofur	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
5	Cloxacillin	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
6	Penicillin G	SMSLA/LS/SOP/09	mg/kg	BLQ(LOQ:0.01)	--
Antibiotics - Sulfonamides					
7	Sulfadiazine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
8	Sulfaguanidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
9	Sulfamethazine / Sulfadimidine	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.025
10	Sulfanilamide	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
11	Sulfaquinoxaline / Sulfachinoxalin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	NMT 0.01
12	Sulfathiazole	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.005)	--
Antibiotics- Fluoroquinolones					
13	Enrofloxacin	SMSLA/LS/SOP/07	mg/kg	BLQ(LOQ:0.01)	--
Antibiotics-Tetracyclines					
14	Sum of Oxytetracycline (OTC) and 4- Epioxytetracycline (4-EOTC)	SMSLA/LS/SOP/06	mg/kg	BLQ(LOQ:0.01)	NMT 0.1

K. PRAKASH
Senior Chemist

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai – 600124.

- The results relate only to the items tested.
- Reports shall not be reproduced except in full without the approval of the Laboratory.
- The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount.
- The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000014847F
Report No : QFD22100427-01

Page 2 of 5
Report Date: 05 Nov 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Biological					
15	<i>Listeria monocytogenes</i>	IS 14988 (Part 1)	Per 25mL	Absent	Absent
16	<i>Salmonella spp</i>	IS 5887 (Part 3)	Per 25mL	Absent	Absent
17	<i>Total Coliforms</i>	IS 5401 (Part 1)	cfu/mL	<1	NMT 10
18	<i>Total Plate Count</i>	IS 5402	cfu/mL	1200	NMT 30000
Chemical					
19	Added Sugar	SMSLA/FD/SOP/019	g/100g	Nil	--
20	Added Urea	FSSAI Manual 1	--	Absent	--
21	Boric Acid & Borates	FSSAI Manual 1	--	Absent	--
22	Carbohydrates	IS 1656	g/100g	5.46	--
23	Cellulose	FSSAI Manual 1	--	Absent	--
24	Dietary Fibre	AOAC 985.29	g/100g	Nil	--
25	Energy	SMSLA/FD/SOP/011	Kcal/100g	89.13	--
26	Fat	FSSAI Manual 1	g/100g	6.09	NLT 6.0
27	Hydrogen Peroxide	FSSAI Manual 1	--	Absent	--
28	Maltodextrin/ Dextrin	IS 1479 (Part 1)	--	Absent	--
29	Protein	AOAC 2001.11	g/100g	3.12	--
30	Solid Not Fat	AOAC 990.21	g/100g	9.27	NLT 9.0
31	Total Sugar	SMSLA/FD/SOP/019	g/100g	5.46	--
32	Formaldehyde	FSSAI Manual 1	--	Absent	--
Fatty Acid Profile					
33	Saturated Fat	SMSLA/GM/SOP/01	g/100g	3.58	--
34	Trans Fat	SMSLA/GM/SOP/01	g/100g	BLQ(LOQ:0.001)	--
Mycotoxins					
35	Aflatoxin M1	SMSLA/HC/SOP/03	µg/kg	BLQ(LOQ:0.25)	NMT 0.5
Others - Cyanamides					
36	Melamine	SMSLA/LS/SOP/11	mg/kg	BLQ(LOQ:0.01)	NMT 2.5

S. Rh
S. RESHMA
Senior Chemist

D. Karthik
D. KARTHIK
Microbiologist

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai – 600124.

- The results relate only to the items tested.
- Reports shall not be reproduced except in full without the approval of the Laboratory.
- The Laboratory's responsibility under this report is limited to proven wilful negligence and will in no case be more than the invoiced amount.
- The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000014847F
Report No : QFD22100427-01

Page 3 of 5
Report Date: 05 Nov 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Pesticides					
37	(2,4-Dichlorophenoxy) acetic acid sodium salt	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
38	Acephate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
39	Acetamiprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
40	Azoxystrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
41	Benomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
42	Bifenthrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.2
43	Bitertanol	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
44	Buprofezin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
45	Carbaryl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
46	Carbendazim	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
47	Carbofuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
48	Chlorantraniliprole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
49	Chlorothalonil	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.07
50	Chlorpyrifos Ethyl	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
51	Clothianidin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
52	Cypermethrin-(I,II,III,IV)	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
53	Deltamethrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
54	Dichlorvos	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
55	Difenoconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
56	Dimethoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
57	Dinotefuran	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
58	Edifenphos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
59	Emamectin benzoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
60	Ethion	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.5
61	Etofenprox	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
62	Fenpropathrin	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
63	Fenpyroximate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
64	Fipronil	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02

K. PRAKASH
Senior Chemist

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai – 600124.

- The results relate only to the items tested.
- Reports shall not be reproduced except in full without the approval of the Laboratory.
- The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount.
- The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED



TEST REPORT

TC-6118

ULR - TC611822000014847F
Report No : QFD22100427-01

Page 4 of 5
Report Date: 05 Nov 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
65	Flubendiamide	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
66	Flusilazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
67	Glufosinate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
68	Imidacloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
69	Indoxacarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
70	Kresoxim methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
71	Mancozeb as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
72	Metalachlor	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
73	Methomyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
74	Methyl Chlorophenoxy Acetic Acid (MCPA)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.04
75	Metiram as CS2	SMSLA/GM/SOP/05	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
76	Monocrotophos	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
77	Oxydemeton methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
78	Paraquat	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
79	Penconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
80	Phenthoate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
81	Phorate	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
82	Pirimiphos methyl	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
83	Propiconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
84	Pyraclostrobin	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.03
85	Tebuconazole	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
86	Thiocloprid	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
87	Thiodicarb	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
88	Thiometon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	--
89	Triacantanol	SMSLA/GS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
90	Triadimefon	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.01
91	Trichlorfon (Dylox)	SMSLA/LS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.05
Preservatives					
92	Sorbic acid	SMSLA/HC/SOP/18	mg/kg	BLQ(LOQ:10.0)	--

K. PRAKASH
Senior Chemist

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai – 600124.

- The results relate only to the items tested.
- Reports shall not be reproduced except in full without the approval of the Laboratory.
- The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount.
- The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611822000014847F
Report No : QFD22100427-01

Page 5 of 5
Report Date: 05 Nov 2022

S.NO	Parameter	Test Method	Unit	Results	Requirement as per FSSR 2011 Amd.2022
Sterols					
93	Cholesterol	SMSLA/GM/SOP/02	mg/100g	22.18	--
Trace Metal Elements					
94	Arsenic	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.1
95	Calcium	SMSLA/IS/SOP/05	mg/100g	134.80	--
96	Lead	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.01)	NMT 0.02
97	Methyl Mercury [Calculated as Element]	SMSLA/IS/SOP/02	mg/kg	BLQ(LOQ:0.1)	NMT 0.25
98	Potassium	SMSLA/IS/SOP/05	mg/100g	181.74	--
99	Sodium	SMSLA/IS/SOP/05	mg/100g	45.20	--

Note: <1cfu/mL can be taken as absent. cfu-colony forming unit. BLQ: Below Limit of Quantification; LOQ: Limit of Quantification.
NMT: Not more than. NLT: Not less than

Remarks: The sample complies with the specification as per FSSR 2011, Amendment 2022 for the above tested parameters.

/***** End of the Report *****/


K. PRAKASH
Senior Chemist

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai – 600124.

- The results relate only to the items tested.
- Reports shall not be reproduced except in full without the approval of the Laboratory.
- The Laboratory's responsibility under this report is limited to proven willful negligence and will in no case be more than the invoiced amount.
- The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.